

# CW15-APS

Height: 24.1" (61.2cm) Width: 9.0" (22.9cm) Depth: 19.4" (49.3cm)



- Models are space saving 9" wide (22.9cm)
- All stainless steel construction
- Pourover brewer requires no plumbing – completely portable
- SplashGard® funnel deflects hot liquids away from the hand
- Accommodates 1.9 to 3L airpots
- Airpots are easily transported to remote meeting rooms, breakfast bars, etc
- PROP 65 Warning Decal included in packaging with equipment
- Servers not included unless otherwise noted

Server(s) sold separately

Agency:



## Specifications

**Product #:** 23001.0000

**Water Access:** Not Plumbed

**Finish:** Stainless

**Funnel:** Black Plastic

## Additional Features

## Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
120	11.4	1370	Yes	NEMA 5-15P	61	60°F (15.5°C)	1	2	60

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	1/4" Male Flare Fitting	-

## CAD Drawings


2D	Revit	KLC
●		

**WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025



	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	24.1 in.	9.0 in.	19.4 in.	29.0 in.	11.9 in.	25.8 in.	33.250 lbs	5.145 ft <sup>3</sup>
Metric	61.2 cm	22.9 cm	49.3 cm	73.7 cm	30.2 cm	65.6 cm	15.082 kgs	0.146 m <sup>3</sup>



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025

## Related Products & Accessories: CW15-APS(23001.0000)

 <p>FUNNEL W/DECAL,PPK NAR BLK(SM)</p> <p>Product #: 02774.0011<sup>2</sup></p>	 <p>FUNNEL W/DECAL,PPK NAR BLK(LG)</p> <p>Product #: 04274.0012<sup>2</sup></p>	 <p>FILTERS,REGULAR1M 500/2 50/CL</p> <p>Product #: 20115.0000</p>	 <p>FILTERS,C GOURMET 500/2 50/CL</p> <p>Product #: 20157.0001</p>	 <p>FUNNEL ASSY, SST-BLK HDL(7.12)</p> <p>Product #: 20216.0000<sup>2</sup></p>
 <p>FUNNEL ASSY, SST-PP BLK HNDL</p> <p>Product #: 29151.0000<sup>2</sup></p>	 <p>FUNNEL ASSY,SST-PP ORANGE HDL</p> <p>Product #: 29151.0001<sup>2</sup></p>	 <p>WATER FILTER SYSTEM,EQ-17-TL</p> <p>Product #: 30200.1000<sup>3</sup></p>	 <p>WATER FILTER,IN LINE ED-17-TL</p> <p>Product #: 30201.1001<sup>3</sup></p>	 <p>FUNNEL AY,W/DECAL GRT "C"7.12</p> <p>Product #: 34559.0000<sup>2</sup></p>
 <p>FUNNEL AY,W/DECAL GRT "C"7.62</p> <p>Product #: 34559.0001<sup>2</sup></p>	 <p>SYSTEM, WEQ-10(1.5)5L</p> <p>Product #: 56000.0024<sup>1</sup></p>	 <p>CARTRIDGE, WEQ-10 (1.5)5L</p> <p>Product #: 56000.0121<sup>1</sup></p>	 <p>CARTRIDGE, WEQ-10.3 (1.67)5L</p> <p>Product #: 56000.0137<sup>1</sup></p>	

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Mavea LLC <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025

# Serving & Holding Options: CW15-APS(23001.0000)



AIRPOT, 2.5L SST LA  
SINGLE PK

Product #: 32125.0000<sup>6</sup>

Mfr#:SVAP-2500F-N



AIRPOT, 2.5L SST LA 6/  
CASE

Product #: 32125.0100<sup>6</sup>

Mfr#:SVAP-2500F-N



AIRPOT, 3.0L SST LA  
SINGLE PK

Product #: 32130.0000<sup>6</sup>

Mfr#:SVAP-3000F-N



AIRPOT, 3.0L SST LA 6/  
CASE

Product #: 32130.0100<sup>6</sup>

Mfr#:SVAP-3000F-N



AIRPOT, 3.8L SST LA  
SINGLE PK

Product #: 36725.0000<sup>6</sup>

Mfr#:SVAP-3800F-N



AIRPOT, 3.8L SST LA 6/  
CASE

Product #: 36725.0100<sup>6</sup>

Mfr#:SVAP-3800F-N

<sup>1</sup>NSF Certified <sup>2</sup>NSF Certified with spec sheet model listed <sup>3</sup>NSF Certified under Solventum Purification <sup>4</sup>NSF Certified under Mavea LLC <sup>5</sup>NSF Certified under Zojirushi <sup>6</sup>NSF Certified under Qins Inc <sup>7</sup>NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
07/08/2025