

701 S Ridge Avenue, Troy, OH 45374 1-888-4HOBART • www.hobartcorp.com

### HWS-4 HAND-WRAP STATION

#### STANDARD FEATURES

- Flexible Set-Up
- Heavy-Duty Control Panel Support Assembly
- Easy to Load Film
- 20" Film Capacity
- Fingertip Film Selection
- Low Temperature Film Cut-Off System
- Angled Hot Plate Casting
- Stainless Steel Element
- Heavy-Duty 300 Series Stainless Steel Stand Assembly
- Open Scale Area
- Operates in All Ambient Temperatures

#### **ACCESSORIES**

- □ **POST-LGSP** Post Assembly Long for Speed Pak
- □ **CP-SUPPRT** Control Panel Support and Item Look-Up Display Stand
- ☐ **HWS-WRAPAD** Hand Wrap Station Aid



#### **MODEL**

☐ HWS-4 – Hand-Wrap Station

Specifications, Details and Dimensions on Inside and Back.







**HWS-4 HAND-WRAP STATION** 

### HWS-4 HAND-WRAP STATION

#### **SPECIFICATIONS**

**CONSTRUCTION:** Heavy-duty stainless steel frame.  $36\frac{1}{4}$  H x 27 W x 27 D. Shelf 22 W x  $22\frac{5}{6}$  D.

**HOT PLATE:** Teflon covered, eliminates package sticking, prevents film residue buildup. 6"D x 14"W.

**FILM HOLDERS:** Two roll film selector. Capacity 10" diameter x 20" maximum.


**ELECTRICAL:** 120 Volts, 60 Hertz, single phase, 8.5 Amps.

SHIPPING WEIGHT: HWS – approximately 90 lbs.;


POST-LGSP - 4 lbs.; CP-SUPPRT - 10 lbs.;

HWS-WRAPAD - 8 lbs.

NOTE: SCALE AND PRINTER MUST BE ORDERED SEPARATELY.




**Access Hand-Wrap System** 






## HWS-4 HAND-WRAP STATION

### **DETAILS AND DIMENSIONS**




**Quantum Hand-Wrap System** 




# HWS-4 HAND-WRAP STATION



### **DETAILS AND DIMENSIONS**



**HLXP-1 Hand-Wrap System** 



As continued product improvement is a policy of Hobart, specifications are subject to change without notice.