

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 10/26/2015 Revision date: 11/09/2020 Version: 2.0

#### **SECTION 1: Identification**

Identification

: ENRICHED FOAM ALCOHOL HAND SANITIZER Product name

Product code RHG 4440 SKU# 2080802

Recommended use and restrictions on use

No additional information available

1.3. **Supplier** 

Manufacturer Rubbermaid Commercial Products LLC

3124 Valley Avenue

Winchester, VA 22601-2694 - USA

T 1.800.347.9800

www.rubbermaidcommercial.com

Other

Rubbermaid Commercial Products LLC

20 Hereford Street

Brampton, ON L6Y 0M1 - Canada

T 1.800.998.7004

**Emergency telephone number** 

**Emergency number** : 24-Hour Emergency - INFOTRAC: 1-800-535-5053 (Domestic) | 1-352-323-3500 (International)

## SECTION 2: Hazard(s) identification

#### Classification of the substance or mixture

#### **GHS-US** classification

Flammable liquids, H225 Highly flammable liquid and vapour.

Category 2

Skin corrosion/irritation, H315 Causes skin irritation.

Category 2

Serious eye damage/eye H319 Causes serious eye irritation. irritation, Category 2A Specific target organ H335

toxicity — Single exposure, Category 3, Respiratory

tract irritation

Full text of H statements: see section 16

May cause respiratory irritation.

## GHS Label elements, including precautionary statements

## **GHS US labelling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) H225 - Highly flammable liquid and vapour.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Precautionary statements (GHS US)

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P312 - Call a poison center or doctor if you feel unwell.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

#### Other hazards which do not result in classification

No additional information available

## **Unknown acute toxicity (GHS US)**

Not applicable

03/18/2021 EN (English) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Alcohol	(CAS-No.) 64-17-5	≥ 50	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
ISOPROPYL ALCOHOL	(CAS-No.) 67-63-0	1 – 10	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312
PEG-6 Caprylic/Capric Glycerides	(CAS-No.) 127281-18-9	1 – 10	Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

# **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures after skin contact : None under normal use.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. If eye irritation persists: Get medical

advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing. Get

medical advice/attention.

First-aid measures after ingestion : Get medical advice/attention if you feel unwell. Drink plenty of water. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Not applicable.

Symptoms/effects after eye contact : Causes serious eye irritation.

## 4.3. Immediate medical attention and special treatment, if necessary

Not applicable.

## **SECTION 5: Fire-fighting measures**

# 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Sand. Water spray.

# 5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Reactivity : Not applicable.

# 5.3. Special protective equipment and precautions for fire-fighters

Other information : Not applicable.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Take up liquid spill into absorbent material. Remove ignition sources. Use special care to avoid

static electric charges. No open flames. No smoking.

#### 6.1.1. For non-emergency personnel

No additional information available

## 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

No additional information available

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Can be slippery on hard, smooth walking area.

## 6.4. Reference to other sections

For further information refer to section 13.

03/18/2021 EN (English) 2/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Precautions for safe handling : Not applicable. No open flames. No smoking. Use only non-sparking tools.

Hygiene measures : None under normal use.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity

should be followed. Ground/bond container and receiving equipment.

Storage conditions : Keep only in original container. Keep cool. Keep in fireproof place. Keep container tightly

closed.

Incompatible materials : Heat sources.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

ISOPROPYL ALCOHOL (67-63-0)		
DNEL	DNEL	500 mg/m³
ACGIH	Local name	2-Propanol
ACGIH	ACGIH OEL TWA [ppm]	200 ppm
ACGIH	ACGIH OEL STEL [ppm]	400 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI
ACGIH	Regulatory reference	ACGIH 2020
OSHA	OSHA PEL TWA [1]	980 mg/m³
OSHA	OSHA PEL TWA [2]	400 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

Alcohol (64-17-5)		
DNEL	DNEL	950 mg/m³
ACGIH	Local name	Ethanol
ACGIH	ACGIH OEL STEL [ppm]	1000 ppm
ACGIH	Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH	Regulatory reference	ACGIH 2020
OSHA	OSHA PEL TWA [1]	1900 mg/m³
OSHA	OSHA PEL TWA [2]	1000 ppm
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

## PEG-6 Caprylic/Capric Glycerides (127281-18-9)

Not applicable

Additional information : Not applicable.

#### 8.2. Appropriate engineering controls

No additional information available

# 8.3. Individual protection measures/Personal protective equipment

## Eye protection:

None under normal use

## Respiratory protection:

None under normal use

03/18/2021 EN (English) 3/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Transparent.

: clear: odourless

Odour threshold : No data available

pH : 5.5 – 6.5

Melting point : No data available Freezing point : No data available

Boiling point :  $> 78 \, ^{\circ}\text{C}$  Flash point :  $22 \, ^{\circ}\text{C}$ 

Relative evaporation rate (butylacetate=1) : No data available

Flammability (solid, gas) : Highly flammable liquid and vapour.

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : 0.87 – 0.876
Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available

Viscosity, kinematic : 10 – 12 seconds (DIN 53211)

Viscosity, dynamic : No data available
Explosive limits : No data available
Explosive properties : No data available
Oxidising properties : No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Not applicable.

## 10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

Not applicable.

## 10.4. Conditions to avoid

Open flame. Direct sunlight.

## 10.5. Incompatible materials

Not applicable.

## 10.6. Hazardous decomposition products

May release flammable gases.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

ISOPROPYL ALCOHOL (67-63-0)		
LD50 oral rat	2000 mg/kg	
LD50 dermal rat	2000 mg/kg	
ATE US (oral)	2000 mg/kg bodyweight	
ATE US (dermal)	2000 mg/kg bodyweight	

03/18/2021 EN (English) 4/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ISOPROPYL ALCOHOL (67-63-0)	
ATE US (dust,mist)	46600 mg/l/4h
Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 dermal rabbit	> 16000 mg/kg
LC50 Inhalation - Rat	> 20 mg/l/4h
ATE US (oral)	7060 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
	pH: 5.5 – 6.5
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 5.5 – 6.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects	: Not applicable.

# **SECTION 12: Ecological information**

Symptoms/effects after eye contact

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

: Causes serious eye irritation.

ISOPROPYL ALCOHOL (67-63-0)		
LC50 - Fish [1]	100 mg/l	
EC50 - Crustacea [1]	100 mg/l	
EC50 - Other aquatic organisms [1]	13299 mg/l waterflea	
EC50 - Other aquatic organisms [2]	> 1000 mg/l	
Alcohol (64-17-5)		
LC50 - Fish [1]	13000 mg/l	
EC50 - Crustacea [1]	9300 mg/l	
EC50 - Other aquatic organisms [1]	5012 mg/l waterflea	
EC50 - Other aquatic organisms [2]	275 mg/l	

# 12.2. Persistence and degradability

ENRICHED FOAM ALCOHOL HAND SANITIZER		
Persistence and degradability Not applicable.		
Alcohol (64-17-5)		
Persistence and degradability	Not established.	

# 12.3. Bioaccumulative potential

ENRICHED FOAM ALCOHOL HAND SANITIZER		
Bioaccumulative potential	Not applicable.	
ISOPROPYL ALCOHOL (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05	
Alcohol (64-17-5)		
Partition coefficient n-octanol/water (Log Pow)	-0.32	
Bioaccumulative potential	Not established.	

03/18/2021 EN (English) 5/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.4. Mobility in soil

#### **ENRICHED FOAM ALCOHOL HAND SANITIZER**

Ecology - soil Not applicable.

#### 12.5. Other adverse effects

Other adverse effects : Not applicable.

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Product/Packaging disposal recommendations : Refer to manufacturer/supplier for information on recovery/recycling. Dispose of

contents/container to an approved waste disposal plant.

Additional information : Handle empty containers with care because residual vapours are flammable.

# **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description (DOT) : UN1170 Ethanol solutions, 3, II

UN-No.(DOT) : UN1170

Proper Shipping Name (DOT) : Ethanol solutions

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : II - Medium Danger Hazard labels (DOT) : 3 - Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202

DOT Packaging Bulk (49 CFR 173.xxx) : 24 DOT Special Provisions (49 CFR 172.102) : 24

: 24 - Alcoholic beverages containing more than 70 percent alcohol by volume must be transported as materials in Packing Group II. Alcoholic beverages containing more than 24 percent but not more than 70 percent alcohol by volume must be transported as materials in Packing Group III.

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T4 - 2.65 178.274(d)(2) Normal...... 178.275(d)(3)

TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during

filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 4b;150 DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Other information : No supplementary information available.

**Transportation of Dangerous Goods** 

# Transport by sea

Transport document description (IMDG) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

UN-No. (IMDG) : 1170

03/18/2021 EN (English) 6/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (IMDG) : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Class (IMDG) : 3 - Flammable liquids

Packing group (IMDG) : II - substances presenting medium danger

Limited quantities (IMDG) : 1 L

## Air transport

Transport document description (IATA) : UN 1170 Ethanol solution, 3, II

UN-No. (IATA) : 1170

Proper Shipping Name (IATA) : Ethanol solution
Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : II - Medium Danger

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

# **ISOPROPYL ALCOHOL (67-63-0)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

#### Alcohol (64-17-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.2. International regulations

#### CANADA

No additional information available

## Alcohol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

## **EU-Regulations**

No additional information available

## **National regulations**

## Alcohol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

## 15.3. US State regulations

#### Alcohol (64-17-5)

U.S. - Pennsylvania - RTK (Right to Know) List

#### **SECTION 16: Other information**

Revision date : 11/09/2020

#### Full text of H-statements:

H225	Highly flammable liquid and vapour.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	

## Indication of changes:

Section	Changed item	Change	Comments
	GHS-US classification	Added	Updated to SDS

03/18/2021 EN (English) 7/8

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS\_US\_GHS\_HazCom\_2012 Newell nieuw

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

03/18/2021 EN (English) 8/8