

### Done To Perfection.





#### About Vulcan

Masterful design. Precision performance. State-of-the-art innovation. For over 130 years, Vulcan has been recognized by chefs and operators throughout the world for top-quality, energy efficient commercial cooking equipment that consistently produces spectacular results. Trust Vulcan to help make your culinary creations turn out just right—each and every time.

Vulcan is associated with the Vulcan Food Equipment Group and is a division of the ITW Food Equipment Group.

## **Company Overview**

Our history can be traced back to 1865, and a foundry company in Louisville, Kentucky that manufactured cooking stoves and other products. That operation would later become part of the Hart Manufacturing Company.


The Vulcan name first appeared in 1890 with the formation of the Vulcan Gas Heating Company. Through the early 20th century, both companies grew and continued to add product lines.

In 1949, Vulcan-Hart was formed when Hart Manufacturing Company acquired the Vulcan name and line of commercial products. The new company continued to expand its product lines, both through acquisitions and through research and development.

Today, Vulcan is among the world's largest manufacturers of commercial cooking equipment, with worldwide distribution of the broadest line of gas and electric equipment.



3



Our kettle line has been completely redesigned with more customer features

**True Working Capacity** design has up to 50% more capacity that other brands.

Embossed Gallon – Liter Markings are standard

**Heavy Bar Rim** added protection and longer life for those high demand environments

$$(\frac{1}{4} \times \frac{5}{8} \text{ inch } 6 - 12 - 20 \text{ gallon})$$


$$(3/8 \times 1)$$
 inch  $40 - 60$  gallon)



	GALLONS	- LITERS M	ARKINGS					
6 Gallon	12 Gallon	20 Gallon	40 Gallon	60 Gallon				
6 – 23	12 – 45	20 – 76	40 – 151	60 – 227				
5 – 19	10 – 38	18 – 68	35 – 132	55 – 209				
4 – 15	8 – 30	16 – 61	30 – 114	50 – 189				
3 – 11	6 – 30	6 – 30   14 – 53	25 – 95	45 – 171				
2 – 8		12 – 46	20 – 76	40 – 151				
		10 – 38	15 – 57	35 – 132				







MAXIMUM OPERATION TEMPERATURES												
Operation Pressure (psig)	Maximum Temp (°F)	Operation Pressure (psig)	Maximum Temp (°F)									
0 lbs.	212 degrees	20 lbs.	259 degrees									
2 lbs.	219 degrees	25 lbs.	267 degrees									
4 lbs.	224 degrees	30 lbs.	274 degrees									
6 lbs.	230 degrees	35 lbs.	281 degrees									
8 lbs.	235 degrees	40 lbs.	287 degrees									
10 lbs.	239 degrees	45 lbs.	292 degrees									
15 lbs.	250 degrees	50 lbs.	298 degrees									

# Energy Saving with Vulcan Steam Jacketed Kettles

No hot spots or scorched soups with steam jacketed kettles. Range burners only heat the bottom of the pan. With a gas burner, the extreme temperature (~2000°F) can burn and scorch the food, plus more than 50% of the energy is exhausted up the hood.

A steam jacketed kettle provides a larger heat transfer surface resulting with more energy transferred to the food.

Cook more with a steam jacketed kettle while reducing your total energy load. Now that's green technology!







### Labor Saving with Vulcan Steam Jacketed Kettles

Visualize preparing your signature sauce and other menu items with the even heating and precise temperature control of steam. Enjoy less "pot watching" and stirring, leaving more time for other tasks.

To remove product from a steam jacketed kettle couldn't be easier. Tilting models have a wide butterfly pouring lip to transfer the product effectively. With the Vulcan exclusive plug valve, product is dispensed with ease. To open just turn the handle 180° to the left and reverse to close, couldn't be easier.



All kettles require head space (freeboard) for safe operation. Only Vulcan offers "True Working Capacity" so you get 25% to 50% greater capacity than Groen, Cleveland and other kettle brands.

Nominal Capacity     Working Capacity     2 oz.     4 oz.     6 oz.     8 oz.     10 oz.     12 oz.     14 oz.     16 oz.     Groen     Others       6     6     384     192     128     96     77     64     55     48     50%     25%       12     12     768     384     256     192     154     128     110     96     50%     25%       20     20     1,280     640     427     320     256     213     183     160     25%     25%       40     40     2,560     1,280     853     640     512     427     366     320     25%     25%       60     60     3,840     1,920     1,280     960     768     640     549     480     25%     25%       6roen     2 oz.     4 oz.     6 oz.     8 oz.     10 oz.     12 oz.     14 oz.     16 oz.       6roen     2 oz.     4 oz.     6 oz.     8 oz.     10 oz.		NUMBER OF PORTIONS 9										% GREATER CAPACITY			
12			2 oz.	4 oz.	6 oz.	8 oz.	10 oz.	12 oz.	14 oz.	16 oz.	Groen	Others			
20     1,280     640     427     320     256     213     183     160     25%     25%       40     40     2,560     1,280     853     640     512     427     366     320     25%     25%       60     60     3,840     1,920     1,280     960     768     640     549     480     25%     25%       Groen     2 oz.     4 oz.     6 oz.     8 oz.     10 oz.     12 oz.     14 oz.     16 oz.       5     4     256     128     85     64     51     43     37     32       10     8     512     256     171     128     102     85     73     64       20     16     1,024     512     341     256     205     171     146     128       40     32     2,048     1,024     683     512     410     341     293     256       60     48     3,072     1,536     1,024<	6	6	384	192	128	96	77	64	55	48	50%	25%			
40     40     2,560     1,280     853     640     512     427     366     320     25%     25%       60     60     3,840     1,920     1,280     960     768     640     549     480     25%     25%       Groen     2 oz.     4 oz.     6 oz.     8 oz.     10 oz.     12 oz.     14 oz.     16 oz.       5     4     256     128     85     64     51     43     37     32       10     8     512     256     171     128     102     85     73     64       20     16     1,024     512     341     256     205     171     146     128       40     32     2,048     1,024     683     512     410     341     293     256       60     48     3,072     1,536     1,024     768     614     512     439     384       80     64     4,096     2,048     1,365     1	12	12	768	384	256	192	154	128	110	96	50%	25%			
60     60     3,840     1,920     1,280     960     768     640     549     480     25%     25%       Groen     2 oz.     4 oz.     6 oz.     8 oz.     10 oz.     12 oz.     14 oz.     16 oz.       5     4     256     128     85     64     51     43     37     32       10     8     512     256     171     128     102     85     73     64       20     16     1,024     512     341     256     205     171     146     128       40     32     2,048     1,024     683     512     410     341     293     256       60     48     3,072     1,536     1,024     768     614     512     439     384       80     64     4,096     2,048     1,365     1,024     819     683     585     512       Cleveland/CFS     2 oz.     4 oz.     6 oz.     8 oz.     10 oz.     1	20	20	1,280	640	427	320	256	213	183	160	25%	25%			
Groen     2 oz.     4 oz.     6 oz.     8 oz.     10 oz.     12 oz.     14 oz.     16 oz.       5     4     256     128     85     64     51     43     37     32       10     8     512     256     171     128     102     85     73     64       20     16     1,024     512     341     256     205     171     146     128       40     32     2,048     1,024     683     512     410     341     293     256       60     48     3,072     1,536     1,024     768     614     512     439     384       80     64     4,096     2,048     1,365     1,024     819     683     585     512       Cleveland/CFS     2 oz.     4 oz.     6 oz.     8 oz.     10 oz.     12 oz.     14 oz.     16 oz.       6     4.8     307     154     102     77     61     51     44     38	40	40	2,560	1,280	853	640	512	427	366	320	25%	25%			
5     4     256     128     85     64     51     43     37     32       10     8     512     256     171     128     102     85     73     64       20     16     1,024     512     341     256     205     171     146     128       40     32     2,048     1,024     683     512     410     341     293     256       60     48     3,072     1,536     1,024     768     614     512     439     384       80     64     4,096     2,048     1,365     1,024     819     683     585     512       Cleveland/CFS     2 oz.     4 oz.     6 oz.     8 oz.     10 oz.     12 oz.     14 oz.     16 oz.       6     4.8     307     154     102     77     61     51     44     38       12     9.6     614     307     205     154     123     102     88	60	60	3,840	1,920	1,280	960	768	640	549	480	25%	25%			
10 8 512 256 171 128 102 85 73 64   20 16 1,024 512 341 256 205 171 146 128   40 32 2,048 1,024 683 512 410 341 293 256   60 48 3,072 1,536 1,024 768 614 512 439 384   80 64 4,096 2,048 1,365 1,024 819 683 585 512   Cleveland/CFS 2 oz. 4 oz. 6 oz. 8 oz. 10 oz. 12 oz. 14 oz. 16 oz.   6 4.8 307 154 102 77 61 51 44 38   12 9.6 614 307 205 154 123 102 88 77   20 16 1,024 512 341 256 205 171 146 128   40 32 2,048 1,024 683 512 410 341 293 256   60 48 3,072 1,536 1,024 768 614 512 439 <td< th=""><th>Groen</th><th></th><th>2 oz.</th><th>4 oz.</th><th>6 oz.</th><th>8 oz.</th><th>10 oz.</th><th>12 oz.</th><th>14 oz.</th><th>16 oz.</th><th></th><th></th></td<>	Groen		2 oz.	4 oz.	6 oz.	8 oz.	10 oz.	12 oz.	14 oz.	16 oz.					
20 16 1,024 512 341 256 205 171 146 128   40 32 2,048 1,024 683 512 410 341 293 256   60 48 3,072 1,536 1,024 768 614 512 439 384   80 64 4,096 2,048 1,365 1,024 819 683 585 512   Cleveland/CFS 2 oz. 4 oz. 6 oz. 8 oz. 10 oz. 12 oz. 14 oz. 16 oz.   6 4.8 307 154 102 77 61 51 44 38   12 9.6 614 307 205 154 123 102 88 77   20 16 1,024 512 341 256 205 171 146 128   40 32 2,048 1,024 683 512 410 341 293 256   60 48 3,072 1,536 1,024 768 614 512 439 384	5	4	256	128	85	64	51	43	37	32					
40     32     2,048     1,024     683     512     410     341     293     256       60     48     3,072     1,536     1,024     768     614     512     439     384       80     64     4,096     2,048     1,365     1,024     819     683     585     512       Cleveland/CFS     2 oz.     4 oz.     6 oz.     8 oz.     10 oz.     12 oz.     14 oz.     16 oz.       6     4.8     307     154     102     77     61     51     44     38       12     9.6     614     307     205     154     123     102     88     77       20     16     1,024     512     341     256     205     171     146     128       40     32     2,048     1,024     683     512     410     341     293     256       60     48     3,072     1,536     1,024     768     614     512	10	8	512	256	171	128	102	85	73	64					
60   48   3,072   1,536   1,024   768   614   512   439   384     80   64   4,096   2,048   1,365   1,024   819   683   585   512     Cleveland/CFS   2 oz.   4 oz.   6 oz.   8 oz.   10 oz.   12 oz.   14 oz.   16 oz.     6   4.8   307   154   102   77   61   51   44   38     12   9.6   614   307   205   154   123   102   88   77     20   16   1,024   512   341   256   205   171   146   128     40   32   2,048   1,024   683   512   410   341   293   256     60   48   3,072   1,536   1,024   768   614   512   439   384	20	16	1,024	512	341	256	205	171	146	128					
80 64 4,096 2,048 1,365 1,024 819 683 585 512   Cleveland/CFS 2 oz. 4 oz. 6 oz. 8 oz. 10 oz. 12 oz. 14 oz. 16 oz.   6 4.8 307 154 102 77 61 51 44 38   12 9.6 614 307 205 154 123 102 88 77   20 16 1,024 512 341 256 205 171 146 128   40 32 2,048 1,024 683 512 410 341 293 256   60 48 3,072 1,536 1,024 768 614 512 439 384	40	32	2,048	1,024	683	512	410	341	293	256					
Cleveland/CFS     2 oz.     4 oz.     6 oz.     8 oz.     10 oz.     12 oz.     14 oz.     16 oz.       6     4.8     307     154     102     77     61     51     44     38       12     9.6     614     307     205     154     123     102     88     77       20     16     1,024     512     341     256     205     171     146     128       40     32     2,048     1,024     683     512     410     341     293     256       60     48     3,072     1,536     1,024     768     614     512     439     384	60	48	3,072	1,536	1,024	768	614	512	439	384					
6 4.8 307 154 102 77 61 51 44 38   12 9.6 614 307 205 154 123 102 88 77   20 16 1,024 512 341 256 205 171 146 128   40 32 2,048 1,024 683 512 410 341 293 256   60 48 3,072 1,536 1,024 768 614 512 439 384	80	64	4,096	2,048	1,365	1,024	819	683	585	512					
12 9.6 614 307 205 154 123 102 88 77   20 16 1,024 512 341 256 205 171 146 128   40 32 2,048 1,024 683 512 410 341 293 256   60 48 3,072 1,536 1,024 768 614 512 439 384	Cleveland/	CFS	2 oz.	4 oz.	6 oz.	8 oz.	10 oz.	12 oz.	14 oz.	16 oz.					
20 16 1,024 512 341 256 205 171 146 128   40 32 2,048 1,024 683 512 410 341 293 256   60 48 3,072 1,536 1,024 768 614 512 439 384	6	4.8	307	154	102	77	61	51	44	38					
40 32 2,048 1,024 683 512 410 341 293 256   60 48 3,072 1,536 1,024 768 614 512 439 384	12	9.6	614	307	205	154	123	102	88	77					
60 48 3,072 1,536 1,024 768 614 512 439 384	20	16	1,024	512	341	256	205	171	146	128					
	40	32	2,048	1,024	683	512	410	341	293	256					
80 64 4,096 2,048 1,365 1,024 819 683 585 512	60	48	3,072	1,536	1,024	768	614	512	439	384					
	80	64	4,096	2,048	1,365	1,024	819	683	585	512					



Models	True Working Capacity	Counter Stand with Drain Drawer	Counter Stand Economy	Cabinet/Table Mounting	Cover Hinged with Condensate Ring	Cover Lift Off	Single Cooking Basket	Triple Basket Set	Kettle Lip Strainer	Heavy Bar Rim	Embossed Gallon/Liter Marking	316 SST Liner	Flanged Feet	208/60-50/3 Field Convertible to 240V & Single Phase	Field Replaceable Heaters	2" Compression DOV	3" Compression DOV	2" Plug DOV	Pan Carrier	Fill Faucets	Correctional Construction
K6ETT	S	Α	А	А		А	Α		Α	S	S	S		S	S					Α	0
K6DTT	S	Α	Α	Α		Α	Α		Α	S	S	S								Α	
K12ETT	S	Α	А	А		А	А		А	S	S	S		S	S					Α	0
K12DTT	S	А	А	А		А	А		А	S	S	S								А	
K20ETT	S					А	А		А	S	S	S	S	S	S					А	0
K20-60GL	S				S	А		Α		S	S	S	S		S	S	0	0		Α	0
K20-60EL	S				S			А		S	S	S	S		S	S	0	0		Α	0
K20-60DL	S				S			А		S	S	S	S			S	0	0		А	0
K20-60GLT	S				Α	А		А	Α	S	S	S	S		S	0	0	0	А	Α	0
K20-60ELT	S				Α	Α		А	Α	S	S	S	S		S	0	0	0	Α	Α	0
K20-60DLT	S				Α	Α		Α	Α	S	S	S	S			0	0	0	Α	Α	0

S = Standard A = Accessory O = Option



**Boilers** 



Holding & Transport



**Fryers** 



**Griddles** 



Heavy Duty Cooking



**Ovens** 



Restaurant Ranges



Steam Equipment

Masterful design. Precision performance. State-of-the-art innovation. For over 130 years, Vulcan has been recognized by chefs and operators throughout the world for top-quality, energy efficient commercial cooking equipment that consistently produces spectacular results. Trust Vulcan to help make your culinary creations turn out just right—each and every time.



Done To Perfection.

© 2011 Vulcan F37503 (04-11)